



Professional Spraying & Foaming Equipment RESELLERS & DISTRIBUTORS

EFFECTIVE: 1ST APRIL 2018

PRICE LIST 2018



BRAVO Co., Pty Ltd | 19/121 Kerry Road ARCHERFIELD QLD 4081
www.bravo-plc.com.au | info@bravo-plc.com.au | Tel.: 07 3277 5521 | Fax: 07 3277 3520

PRODUCT CATALOGUE/PRICE LIST 2018

RESELLERS & DISTRIBUTORS

EFFECTIVE: 1ST APRIL 2018

| TABALE OF CONTENT | Page |
|--|---------|
| CANYON TRIGGER SPRAYERS | 2 |
| KLÄGER SOLVENT, ACID & ALKALINE RESISTANT MINI SPRAYERS | 2 - 3 |
| SURESHOT REFILABLE AEROSOL | 4 |
| GLORIA BLEACH, PRIMA3 & PRO5 POLY SPRAYERS | 4 |
| GLORIA ACID & ALKALINE RESISTANT POLY SPRAYERS | 5 |
| GLORIA PRO8 POLY SPRAYERS | 5 |
| GLORIA STAINLESS STEEL SPRAYERS | 6 |
| WASHFOAM FOAM SPRAYERS | 7 - 8 |
| TERMIFOAM FOAM INJECTORS | 7 - 8 |
| LAFFERTY FOAMERS | 8 - 9 |
| KLÄGER PARTS & ACCESSORIES | 10 |
| GLORIA POLY SPRAYERS PARTS & ACCESSORIES | 11 - 13 |
| GLORIA STAINLESS STEEL SPRAYERS PARTS & ACCESSORIES | 14 - 16 |
| SPRAYING GUNS | 17 |
| CHARTS AND DIAGRAMS | 18 - 26 |

Terms and Conditions

All Prices are:

- For distributors/resellers. (Conditions apply)
- Per each item only.
- Exclusive of GST & freight charges.
- Subject to change without notice.

All products:

- Are available at the time of publication.
- Some variation may occur time to time in colors, models & types.
- Some model/s may change or become unavailable over time without notice.

CANYON - Japan | Trigger Sprayers | Standard

Colours: Blue, Red, White, Green & Yellow

Tread Size: 28/400, Nozzle Orifice: 0.4mm, Tube Length: 185 or 225 mm

Product#: 05 3NB00



CANYON - Japan | Trigger Sprayers | Chemical Resistant

Colours: Black only

Tread Size: 28/400, Nozzle Orifice: 0.4mm, Tube Length: 225 mm

Product#: 05 3SE08



CANYON - Japan | Trigger Sprayers | High Output

Colours: Blue & Red

Tread Size: 28/400, Nozzle Orifice: 0.6 mm, Tube Length: 225 mm

Product#: 05 5AB00



CANYON - Japan | Trigger Sprayers | 2 M long suction tube

Colours: Red only

High Output

Tread Size: 28/400, Nozzle Orifice: 0.6 mm, Tube Length: 2000 mm

Product#: 05 5AB03



KLÄGER - Germany | 1.0 Litre Pressure Sprayer | **SUPERIOR**

SUPERIOR Solvent Resistant is equipped with highest grade of FKM80 seals (VITON) for a better chemical resistance

Application: most type of petroleum-based solvents,
Brake Cleaner, Tyre Shine, Degreaser

Product Code: 03 041019

kläger
plastik

Made in Germany

SUPERIOR-FKM 80
SOLVENT RESISTANT
1.0 L SPRAYER

KLÄGER - Germany | 1.0 Litre Pressure Sprayer | Solvent Resistant

Blank Bottle

Application: most type of petroleum-based solvents,
Brake Cleaner, Tyre Shine, Degreaser

Product Code: 03 040690



KLAGER - Germany | 1.0 Litre Pressure Sprayer | Solvent Resistant

Printed Bottle

Application: most type of petroleum-based solvents,
Brake Cleaner, Tyre Shine, Degreaser

Product Code: 03 040729



KLAGER - Germany | 1.0 Litre Pressure Sprayer | Alkaline Resistant

Application: Resistant to most alkaline solutions:
Fiberglass industry, graffiti removal, car painting agents & cleaning chemicals

Product Code: 03 040857



KLAGER - Germany 1.0 Litre Pressure Sprayer | Acid Resistant

Application: Resistant to most dilute acid solutions:
Aluminium brightener. Brick, tile, concrete acid washing,
Shower & bathroom cleaner

Product Code: 03 040832



KLAGER - Germany | 1.5 Litre Pressure Sprayer | Solvent Resistant

Application: most type of petroleum-based solvents,
Brake Cleaner, Tyre Shine, Degreaser

Product Code: 03 040893



KLAGER - Germany | 1.5 Litre Pressure Sprayer | Alkaline Resistant

Application: Application: Resistant to most alkaline solutions:
Fiberglass industry, graffiti removal, car painting agents & cleaning chemicals

Product Code: 03 040894



KLAGER - Germany | 1.5 Litre Pressure Sprayer | Acid Resistant

Application: Application: Resistant to most dilute acid solutions:
Aluminium brightener. Brick, tile, concrete acid washing,
Shower & bathroom cleaner

Product Code: 03 040856



Sure-Shot - USA | Refillable Aerosol

Refillable, Reusable, Environment Friendly, Pressurised by Air
Max Pressure: 200 PSI, Working Capacity: 145 PSI
Liquid Capacity: 470 mL

Product Code: 06 B8100PL



Sure-Shot - USA | Atomizer Pressure Sprayer

Refillable, Reusable, Environment Friendly, Pressurised by Air
Max Pressure: 98 PSI, Adjustable Nozzle
Liquid Capacity: 1.0 L

Product Code: 06 A1002B



GLORIA - Germany | 3.0 L Poly Sprayer |

NBR Seals, Adjustable Brass Nozzle, Brass Lance,
Safety pressure Release Valve, Liquid Level Indicator
Max pressure: 44 PSI/ 3 Bar

Product Code: 02 000078.000



GLORIA | 3.0 L Poly Sprayer | Bleach Resistant

VITON & NBR Seals, Fan Jet Nozzle, Reinforced Nylon Lance
Special Bleach Resistant Spring, Safety Pressure Release Valve,
Liquid Level Indicator, Bottom Ring, Max Pressure: 44 PSI/3 Bar

Product Code: 02 000078.BLCH



GLORIA - Germany | 5.0 L Poly Sprayer | Solvent Resistant

VITON Seals, Adjustable Brass Nozzle, Brass Lance,
Safety Pressure Release Valve, Max pressure: 44 PSI

Product Code: 02 000081.0040



GLORIA - Germany | 5.0 L Poly Sprayer | Flat Fan Nozzle

Carpet pre-wash, Upholstery Cleaning
VITON Seals, Brass Flat Fan Nozzle 8002E/ 8004 & Nozzle Holder
Brass Lance, Safety Pressure Release Valve, Max pressure: 44 PSI

Product Code: 02 000081.0FFN



GLORIA - Germany | 5.0 L Poly Sprayer | Spiral Hose

Window Tinting and any application that requires more flexibility
VITON Seals, Spiral Hose, Adjustable Brass Nozzle, Brass Lance,
Safety Pressure Release Valve, Max pressure: 44 PSI

Product Code: 02 000081.SPRL



GLORIA - Germany | 5.0 L Poly Sprayer | Alkaline Resistant

EPDM Seals, Flat Fan Nylon Nozzle, PVC Lance,
Safety Pressure Release Valve, Max pressure: 44 PSI

Product Code: 02 000085.PALK



GLORIA - Germany | 5.0 L Poly Sprayer | Acid Resistant

VITON Seals, Fanjet Nozzle, Nylon Lance & Trigger
Safety Pressure Release Valve, Max pressure: 44 PSI

Product Code: 02 000081.ACID



GLORIA - Germany | 8.0 L Poly Sprayer | Solvent Resistant

VITON Seals, Adjustable Brass Nozzle, Brass Lance,
Safety Pressure Release Valve, Max pressure: 44 PSI

Product Code: 02 000092.0040



GLORIA - Germany | 8.0 L Poly Sprayer | Spiral Hose

Window Tinting and any application that requires more flexibility
VITON Seals, Spiral Hose, Adjustable Brass Nozzle, Brass Lance,
Safety Pressure Release Valve, Max pressure: 44 PSI

Product Code: 02 000092.SPRL



GLORIA - Germany | 8.0 L Poly Sprayer | Flat Fan Nozzle

VITON Seals, Brass Flat Fan Nozzle 8002E/ 8004 & Nozzle Holder
Brass Lance, Safety Pressure Release Valve, Max pressure: 44 PSI

Product Code: 02 000092.0FFN



GLORIA - Germany | 5.0 L Heavy Duty Stainless Steel Sprayer

VITON Seals, Brass Nozzle, Lance & Trigger
Auto & Manuel Safety Pressure Release Valve,
Air Inlet, Pressure Gauge, Max pressure: 85 PSI

Product Code: 02 000506.6900



GLORIA - Germany | 5.0 L Stainless Steel Sprayer | Carpet & Upholstery

RL16 Gun, Brass Flat Fan Nozzle 8003, Spiral Hose Stretching Up to 4m
VITON Seals, Lance & Trigger
Auto & Manuel Safety Pressure Release Valve,
Air Inlet, Pressure Gauge, Max pressure: 85 PSI

Product Code: 02 000506.00SG



GLORIA - Germany | 5.0 L Stainless Steel Sprayer | Anti Damp

3x Brass Injector Lances Length 250, 350 & 450 mm, 2.5M Hose
Safety Pressure Release Valve,
Air Inlet, Pressure Gauge, Max pressure: 85 PSI

Product Code: 02 000506.0101



GLORIA - Germany | 5.0 L Stainless Steel Sprayer | Tyre Shine

SS Flat Fan Nozzle, RL16 Gun, Nylon Spiral Hose
Safety Pressure Release Valve,
Air Inlet, Pressure Gauge, Max pressure: 85 PSI

Product Code: 02 000506.TYSH



GLORIA - Germany | 10.0L Heavy Duty Stainless-Steel Sprayer

VITON Seals, Brass Nozzle, Lance & Trigger
Auto & Manuel Safety Pressure Release Valve,
Air Inlet, Pressure Gauge, Max pressure: 85 PSI

Product Code: 02 000512.6900



GLORIA - Germany | 10.0L Stainless-Steel Sprayer | Sealer

VITON Seals, Brass Fan Jet Nozzle, Drip Stopper, Lance & Trigger
Auto & Manuel Safety Pressure Release Valve,
Air Inlet, Pressure Gauge, Max pressure: 85 PSI

Product Code: 02 000512.SEMA



VOLKANEX - Australia | 12.0L Air Driven Stainless-Steel Sprayer | Sealer

Brass Fan Jet Nozzle, Drip Stopper, Lance & Trigger
Safety Pressure Release Valve, 2.0M Super Flex Hose
Air Inlet, Max pressure: 130 PSI

Product Code: 01 29748ADS



VOLKANEX - Australia | 12.0 L Air Driven Stainless-Steel Sprayer | Tank

Safety Pressure Release Valve, Max pressure: 130 PSI

Product Code: 01 29748PS



MITIQA - Italy | 16.0L Back-Pack Sprayer

Adjustable Fan Jet Nozzle, 1.4 Hose, Telescopic Lance 70-110 cm,
Safety Valve, Pressure Gauge, Chargeable Handle from Right to Left

Product Code: 04 0033126



Washfoam | 1.2L Handheld Pump Up | Foam Sprayer

Application: Cleaning, hand carwash, and Concrete Remover Agents
EPDM Seal, Safety pressure Valve, Anti-Glide Base, Max Pressure 44 PSI

Product Code: 03 040779FS



Termifoam | 1.2L Handheld Pump Up | Foam Injector

Application: Applying Foam Based Termiticide into Wall Cavities
Flexible Tube, SS Injector, EPDM Seal, Safety pressure Valve,
Anti-Glide Base, Max Pressure 44 PSI

Product Code: 03 040779TF



Washfoam | 3.0L Pump Up | Foam Sprayer

Application: Cleaning, Hand Carwash, and Concrete Remover Agents
NBR Seal, Safety pressure Valve, Max Pressure 44 PSI

Product Code: 02 000078.00FS



Termifoam | 3.0L Pump Up | Foam Injector

Application: Applying Foam Based Termiticide into Wall Cavities
NBR Seal, Safety pressure Valve, Max Pressure 44 PSI

Product Code: 02 000078.00FI



Washfoam | 5.0L Pump Up | Foam Sprayer

Application: Cleaning, Hand Carwash, and Concrete Remover Agents
EPDM Seal, Safety pressure Valve, Anti-Glide Base, Max Pressure 44 PSI

Product Code: 02 000085.CMFS



Termifoam | 5.0L Pump Up | Foam Injector

Application: Applying Foam Based Termiticide into Wall Cavities
EPDM Seal, Safety pressure Valve, Anti-Glide Base, Max Pressure 44 PSI

Product Code: 02 000085.CMFI



Lafferty - USA | Hose-end Airless Split System Foamer | Fixed Gun

Simply connects to chemical containers from 5 - 20 litres and garden hoses
1.5 metre tube length, Throw distance up to 3m with nozzle & 5m straight no nozzle

Product Code: 07 969937 FIX



(container not included)

Lafferty - USA | Hose-end Airless Split System Foamer | Quick Connector

Simply connects to chemical containers from 5 - 30 litres and garden hoses,
1.5 metre tube length, Throw distance up to 3m with nozzle & 5m straight no nozzle
20 colour coded metering tips for different dilution ratio

Product Code: 07 969937 CLICK



Lafferty - USA | Handheld Hose-end Airless Foamer

20 colour coded metering tips for different dilution ratio, Bottle Capacity: 1.1L
Throw distance of up to 3m, Min. water pressure: 20 PSI

Product Code: 07 969925-B



CT | Handheld Hose-end Airless Split System Foamer

Throw distance of up to 3m, Min. water pressure: 20 PSI,
Removable Foam Nozzle for foam texture & throw, No moving parts,
Simply connects to chemical containers from 5 - 30 litres and garden hoses

Product Code: 11 15.0202.10



Lafferty - USA | Air Assisted LC Foamer | Wall Mount

Features: Medium Volume, Suitable for Food Plant Sanitizing,
Foam Throw Distance up to 2.7m, Covers up to 46.5m² in 2 Seconds

Requires: 5L/min @ 35-125 PSI Water, 70-170 L/min Compressed Air

Attachments: Hose 19x12000mm + Complete Foaming Gun & 21 Color-Coded Metering Tips

Product Code: 07 915105



Lafferty - USA | LC Foamer | Drum Bung

Features: Medium Volume Air Assisted Foamer, Suitable for Food Plant Sanitizing,
Foam Throw Distance Up to 2.7m, Covers up to 46.5m² in 2 Seconds

Requires: 5L/min @ 35-125 PSI water, 70-170 L/min Compressed Air

Attachments: Hose 19x12000mm + Complete Foaming Gun & 21 Color-Coded Metering Tips

Product Code: 07 915635



Lafferty - USA | HVHC (High Volume/Concentrate) Foamer | Wall Mount

Requires: 4-16 CFM Compressed Air @113-453 PSI Pressure, 15L/min @40 PSI Water Pressure

Attachments: Hose 25.5x15000mm, Stainless Steel Mounting Bracket, Complete Foaming Gun & 21 Colour-Coded Metering Tips

Product Code: 07 916115



Lafferty - USA | Low Volume Airless Foamer | Wall Mount

Features: Choice of 2 Flow Rates for quicker area coverage of small or large applications.

Foam Throws Distance of up to 2.4m, the Bigger Water Pressure the Longer Foam Throw

Attachments: Hose 19mmx75000mm + Complete Foaming Gun & 21 Color-Coded metering Tips

Product Code: 07 970525



Lafferty - USA | 1 Way Acid LC, Air Assisted Foamer | Wall Mount

Draws Concentrate Directly from a Chemical Container and Accurately Dilutes to the Required Ratio

Requires: 5L/min @ 35-125 PSI Water Pressure and 70-170 L/min Compressed Air

Attachment: Hose 19x15000mm + Complete Foaming Gun & 21 Color-Coded Metering Tips

Product Code: 07 972306



KLAGER MINI SPRAYERS

PARTS & ACCESSORIES

Solvent & Acid Resistant VITON Seal Kit *Includes 6 O-rings and 1 gasket*

Product #: S3 072001



Alkaline Resistant EPDM Seal Kit *Includes 6 O-rings and 1 gasket*

Product #: S3 072002



Spare Nozzle Pack, A Pack of 3 Nozzles, 0.5mm Cone Brass, 0.8mm Cone Nylon, Foam or Flat Fan

Product #: P3 006700



30cm Extension Chrome Plated Brass Lance

Product #: A3 074057



30cm Extension Rigid PVC Lance

Product #: A3 074022



35cm Flexible Lance

Product #: A3 074057FLEX



Assorted Colour Coding Caps Set of 5 Different Colours – Red, Green, Blue, Orange & Yellow

Product #: A3 072079



GLORIA POLY SPRAYERS PARTS & ACCESSORIES

Complete set of Lance with Nozzle & Trigger for Acid & Bleach Sprayer

Product #: 14 22210004018



Complete set of Lance with Nozzle & Trigger for Alkaline Sprayer

Product #: 14 22210004009



Acid, Alkaline & Bleach, Complete Lance with Flat Fan Nozzle 8003 & Filter

Product #: 14 32210000030



Acid & Bleach Resistant Special Trigger (VITON)

Product #: 14 322000004018



Acetone/Alkaline Resistant EPDM Trigger

Product #: 14 322000004009



Complete Acid Resistant Flat Fan Nozzle

Product #: 04 8852



Acid Resistant 40cm Nylon Lance with Fanjet Nozzle

Product #: 01 03.MS.ARW



PRO Sprayers Brass Lance with Adjustable Nozzle

Product #: P2 726357.000



PRIMA3 Brass Lance

Product #: P2 728589.0000



15 cm Flexi Lance













Product #: A2 728396.0000



Acid Resistant Trigger (VITON)

Product #: 04 8750.AR



| | | |
|---|-----------------------------------|---|
| <i>Alkaline Resistant Trigger (EPDM)</i> | Product #: 04 8753.ALKA |  |
| <i>PRO sprayer's nylon Trigger</i> | Product #: P2 727012.0000 |  |
| <i>PRO sprayer's complete pump</i> | Product #: P2 728168.0000 |  |
| <i>Pump nylon rod & handle</i> | Product #: P2 728217.00000 |  |
| <i>Complete pump with EPDM seals</i> | Product #: P2 728005.000 |  |
| <i>Prima 3 NBR complete pump</i> | Product #: P2 728614.0000 |  |
| <i>VITON seals kit for nylon rod PRO</i> | Product #: S2 03. MS.NR |  |
| <i>EPDM seal kit CM50</i> | Product #: S2 03.MS. ALKA |  |
| <i>VITON seal kit for steel rod PRO</i> | Product #: S2 03. MS.SR |  |
| <i>VITON pressure release valve</i> | Product #: P2 728651.000 |  |
| <i>EPDM pressure release valve</i> | Product #: P2 728006.0000 |  |
| <i>Complete hose set with connectors</i> | Product #: P2 532550.WFIT |  |

Pump's nylon rod guides

Product #: P2 540384.0000



Pump's steel rod guides

Product #: P2 539838.0000



Base ring – GLORIA 5.0L & 3.0L Poly sprayers

Product #: P2 518280.0000



Base ring – 8.0L PRO sprayers

Product #: P2 540530.0000



Filling funnel – GLORIA 5.0L & 3.0L Poly sprayers

Product #: P2 540298.0000



Filling Funnel – GLORIA 8.0L Poly sprayers

Product #: P2 540521.0000



Brass Fanjet Holder + Bushing

Product #: P2 000111.SHRT



GLORIA STAINLESS STEEL SPRAYERS

PARTS & ACCESSORIES

Drip stopper set for sealer sprayers (Fanjet Pattern)

Product #: A2 000111.10-24



Drip stopper set for sealer sprayers (Cone Pattern Jet)

Product #: A2 000112.10-24



Adjustable brass nozzle for TK SS Sprayers

Product #: A2 000113.0000



Fixed cone nozzle for all Gloria sprayers

Product #: P2 725830.0000



Heavy duty 50 cm brass curved lance with VITON O-ring

Product #: P2 714080.0000



Brass nozzle holder (without nozzle)

Product #: P2 000111.SHRT



0.5 m Straight brass extension lance

Product #: A2 000124.0000



1.0 m Telescopic brass extension lance

Product #: A2 000131.0000



2.0 m Telescopic brass extension lance

Product #: A2 000132.0000



15 cm Flexi lance

Product #: A2 728396.0000



Brass pump outer shell

Product #: P2 710240.0000



Brass pump inner assembly with handle

Product #: P2 728057.0000



Heavy duty brass trigger with VITON seals

Product #: P2 707340.0000



Air pressure release valve / Auto & Manual

Product #: P2 709080.0000



1.4m oil resistant hose with both ends fittings for S.S. sprayers

Product #: P2 503690.0000



Nylon spiral hose 1/4" spring type connectors

Product #: 0805-0105FITD 08



Brass pump's 3-piece VITON seal kit - FLAT type

Product #: S2 726260.FLAT



Brass pump's 5-piece VITON seal kit - NIPPLE type

Product #: S2 728413.PKIT



VITON seal kit for Gloria Brass trigger

Product #: S2 726260.TRIG



Air connector Nitto type for S.S. sprayers

Product #: P2 728081.0001



Pressure regulator for Brass Lances

Product #: A2 000022.0000



0 – 10 Bar pressure gauge with locking nut

Product #: A2 000022.0000



Brass pump piston's plate repair kit

Product #: P2 727330.0000



Filling funnel for 505TK mode

Product #: P2 540453.0000



Filling funnel for 510TK model

Product #: P2 540455.0000



Base ring for 505TK model

Product #: P2 540454.0000



Base ring for 510TK model

Product #: P2 540456.0000



Weed Killer Spraying shield with brass fanjet nozzle.

Product #: A2 000260.0000



Trolley for 510 TK model Zinc plated frame, heavy duty base, wheels & handle grip

Product #: A2 000198.5001



Air connector handle with automatic air release valve

Product #: A2 000135.0000



CT - Italy RL16 Spray Gun

- VITON gaskets & O-rings
- Thread: 1/4 BSP F
- Working pressure: 2300 PSI
- Rated flow: 30 L/min
- Max. pressure: 2550 PSI
- Rated temperature: 100 °C

Product #: 11 30.0000.20



Spraying Systems - USA Adjustable Brass Gun Jet AA31

- VITON gaskets & O-rings
- Thread: 1/4 NPS M
- Working pressure: 35 bar / 500 PSI
- Rated flow: 19 L/min
- Max. pressure: 175 bar / 2550 PSI
- Adjustable scales to accurately sets volumes to nearest 0.1mL

Product #: 12 AA31



Braglia - Italy Power Pressure Spray Gun

- Standard AMT Ceramic Spray Tip
- Max. pressure: 600 PSI
- Weight: 660g
- Length: 300-600mm

Product #: 18 35.901.16



CT - Italy Hot Water Washing Gun RB65/ Brass

- VITON gaskets & O-rings
- Material: Brass
- Working pressure: 350 PSI
- Rated temperature: 90 °C
- Rated flow: 60 L/min
- Nozzle Size: 0 - 60

Product #: 11 30.6425.00



CT - Italy Hot Water Washing Gun RB65-350

- VITON gaskets & O-rings
- Casing: Blue
- Inlet: 1/2 BSP F
- Nozzle Size: 0 - 60
- Working pressure: 350 PSI
- Rated flow: 60 L/min
- Rated temperature: 90 °C / 195 F
- Material: Stainless steel Ai316

Product #: 11 30.6310.00



CT- Italy Hot Water Washing Gun RB65 Long

- VITON gaskets & O-rings
- Colour: red or blue
- Inlet: 1/2 BSP F
- Working pressure: 24 bar / 350 PSI
- Rated flow: 60 L/min
- Rated temperature: 90 °C / 195 F

Product #: 11 30.6468.00



KLÄGER 1.0 & 1.5 LITRE MINI SPRAYERS DIAGRAM

Parts Description

10- Sprayer's Handle

20/30- Pump's Handle

40- Trigger Lever

50- Nozzle's Swirl Cone

60- Nozzle's Spring

70- Pump's Spring

80- O-ring 14 x 3.5

90- O-ring 5 x 1.5

100- Screw

110- Plunger

120- Pump's Guide Rod

130- Clip

140- Floating Ball

150- Retaining Disk

161- Pump's Cylinder

162- O-ring 3 x 2.7

163- Plunger's Valve

164- Valve

165- Valve Screw Cap

166- Bottle O-ring 36 x 4

167- Suction Tube


168- Filter / Sieve

171- Swirl Piece

172- O-ring 5 x 1.5


173/174- Nozzle's Screw

175- Gasket




SURSHOT REFILLABLE AEROSOL DIAGRAM

B8100PL / B8100CB PLATED ALUMINUM



| | |
|--|-------------|
| 06 B30-040 Fine Spray Nozzle – B30 | 00.00003.00 |
| S06 B30-035 Medium Spray Nozzle – B30 | 00.00003.00 |
| 06 B30-080 Coarse Spray Nozzle – B30 | 00.00003.00 |
| SUR89/B11 Air Filter Assembly – B11 | 00.00005.00 |
| 06 B25 Valve Head – B25 | 00.00009.00 |
| 06 B51 Valve Assemblies – B51 | 00.00008.00 |

GLORIA PRIMA 3 DIAGRAM



prima 3


Art.-Nr. 000078.0000

GLORIA®

Geräte für Haus und Garten


| Bild Nr. REF.N° POS.N° | BEST.-NR. PART-N° N° d. PIECE | DESCRIPTION | Anzahl Qty. Qte. |
|------------------------------|-------------------------------------|---------------------------------|------------------------|
| 4 | 536230.0000 | Hose terminal nut | 2 |
| 6 | 706940.0000 | (SB) Hose (1,25 m) | 1 |
| 7 | 728588.0000 | FLEXIBLE HOSE LINE CPL. | 1 |
| 8 | 539225.0000 | FILLING HOPPER | 1 |
| 9 | 708710.0000 | Pressure release valve | 1 |
| 11 | 540377.0000 | GUIDE SHELL | 2 |
| 12 | 540386.0000 | O-Ring 26x3 NBR 70 Sh | 1 |
| 14 | 627070.0000 | O-Ring 38x5 NBR (Perbunan) | 1 |
| 15 | 540236.0000 | Valve membrane Ø 23 mm | 1 |
| 16 | 728614.0000 | PUMPE CPL. 000078 | 1 |
| 17 | 509280.0000 | CARRYING STRAP | 1 |
| 18 | 602230.0000 | O-Ring 13 x 2 NBR (Perbunan) | 1 |
| 19 | 726817.0000 | HOSE ADAPTER CPL. | 1 |
| 20 | 513340.0000 | Sieve | 1 |
| 21 | 539356.0000 | Valve bolt | 1 |
| 22 | 539357.0000 | VALVE CONE | 1 |
| 23 | 612071.0000 | VALVE SPRING | 1 |
| 24 | 512670.0000 | O-Ring 15x2 NBR (Perbunan) | 1 |
| 25 | 723510.0000 | LOCK NUT CPL. | 1 |
| 26 | 617070.0000 | SEAL Ø 13 x Ø 9 x 2 | 1 |
| 27 | 726993.0000 | TRIGGER CONTROL VALVE | 1 |
| 28 | 539359.0000 | JOINING PIECE | 1 |
| 29 | 539358.0000 | COUPLING NUT | 1 |
| 31 | 601910.0000 | O-Ring 4x2 NBR (Perbunan) 72Sh | 1 |
| 32 | 601900.0000 | NOZZLE | 1 |
| 33 | 728589.0000 | SPRAYING LANCE CPL. | 1 |
| 100 | 976715.0000 | Instruction for use prima 3/5/8 | 1 |
| 101 | 728626.0000 | GASKET SETprima 3 | 1 |

GLORIA PRO 5 - NYLON ROD VERSION DIAGRAM



| REF.N° POS.N° | PART-NO. NO d. PIECE | DESCRIPTION |
|------------------|-------------------------|---|
| 2 | 508500.0000 | Hose |
| 4 | 532550.0000 | Hose (1,20m) Ø12mm |
| 5 | 521400.0000 | Hose terminal nut for hose Ø12mm |
| 6 | 726806.0000 | FLEXIBLE HOSE LINE CPL. oilproof |
| 7 | 540298.0000 | Filling funnel (for hose Ø 12mm) |
| 8 | 726360.0000 | Pressure release valve, oil resistant |
| 9 | 540383.0000 | PUMP HOUSING, black |
| 10 | 540240.0000 | Valve membran |
| 11 | 503460.0000 | O-ring 38 x 5 |
| 12 | 540415.0000 | O-Ring 26x3FPM 70C5 |
| 13 | 727326.0000 | Pump rod, schwarz |
| 14 | 540384.0000 | Guide basin, black |
| 15 | 728168.0000 | Pump cpl., black, oil resistant |
| 16 | 509280.0000 | CARRYING STRAP |
| 17 | 726818.0000 | HOSE COUPLING TULLES CPL.(oilresistant) |
| 18 | 513340.0000 | Sieve für Haus und Garten |
| 19 | 612071.0000 | VALVE SPRING |
| 20 | 728318.0000 | VALVE BOLT CPL. |
| 21 | 536900.0000 | LOCKING SCREW |
| 22 | 727012.0000 | Trigger control valve cpl. |
| 23 | 539359.0000 | JOINING PIECE |
| 24 | 539358.0000 | COUPLING NUT |
| 25 | 539361.0000 | TURN BODY |
| 26 | 726996.0000 | NOZZLE CAP |
| 27 | 727011.0000 | Lance cpl. with nozzle |


GLORIA PRO 8 - NYLON ROD VERSION DIAGRAM



| 2/2 | | PRO 8 | GLORIA® | |
|------------------------------|--------------------------------------|---|------------------------|----------------------------|
| 2011 | | | | |
| Rev112405 | | Art.-Nr. 000092.0035 | | Geräte für Haus und Garten |
| Bild Nr. REF.N° POS.N° | BEST.-NR. PART-NO. NO d. PIECE | DESCRIPTION | Anzahl Qty. Qte. | |
| 2 | 715450.0000 | RISER DUCT CPL. | 1 | |
| 4 | 532550.0000 | Hose (1,20m) Ø12mm | 1 | |
| 5 | 521400.0000 | Hose terminal nut for hose Ø12mm | 2 | |
| 6 | 726807.0000 | FLEXIBLE HOSE LINE CPL. oilproof | 1 | |
| 7 | 540521.0000 | Filling funnel | 1 | |
| 8 | 726360.0000 | Pressure release valve, oil resistant | 1 | |
| 9 | 540383.0000 | PUMP HOUSING, black | 1 | |
| 10 | 540240.0000 | Valve membran | 1 | |
| 11 | 503460.0000 | O-ring 38 x 5 | 1 | |
| 12 | 540415.0000 | O-Ring 26x3FPM 70C5 | 1 | |
| 13 | 727326.0000 | Pump rod, schwarz | 1 | |
| 14 | 540384.0000 | Guide basin, black | 2 | |
| 15 | 728490.0000 | Pump cpl., black, oil resistant | 1 | |
| 16 | 520260.0000 | CARRYING STRAP | 1 | |
| 17 | 726818.0000 | HOSE COUPLING TULLES CPL.(oilresistant) | 1 | |
| 18 | 513340.0000 | Sieve für Haus und Garten | 1 | |
| 19 | 612071.0000 | VALVE SPRING | 1 | |
| 20 | 728318.0000 | VALVE BOLT CPL. | 1 | |
| 21 | 536900.0000 | LOCKING SCREW | 1 | |
| 22 | 727012.0000 | Trigger control valve cpl. | 1 | |
| 23 | 539359.0000 | JOINING PIECE | 1 | |
| 24 | 539358.0000 | COUPLING NUT | 2 | |
| 25 | 539361.0000 | TURN BODY | 1 | |
| 26 | 726996.0000 | NOZZLE CAP | 1 | |
| 27 | 727011.0000 | Lance cpl. with nozzle | 1 | |
| 28 | 540530.0000 | Base ring 8L black | 1 | |

GLORIA 505 TK DIAGRAM


| 505 TK Profile BRAVO | | |
|----------------------|-------------|--|
| POS.N° | PART-NO. | DESCRIPTION |
| 2 | 540454.0000 | Bottom ring 5 L |
| 3 | 540458.0000 | Connecting screw |
| 4+6 | 704210.0000 | Pressure gauge cpl. incl. Pos.6 |
| 5 | 727767.0000 | Safety valve cpl., 6 bar, oil resistant |
| 6 | 618170.0000 | Seal 15x10x3 |
| 7 | 604500.0000 | Hex.hd. Nut |
| 8+6 | 728081.0001 | Compressor connection assy. (AUS) |
| 10 | 540453.0010 | Filling funnel 5L,RAL9005 |
| 11 | 540457.0000 | Cover RAL9005 |
| 20-31 | 728057.0000 | SB Pump rod cpl. |
| 20-34 | 728126.0000 | High performance pump cpl. oil resistant |
| 24 | 611170.0000 | Seal |
| 27-31 | 727330.0000 | Piston plate cpl. |
| 28 | 509780.0000 | O-Ring 28,15 x 3,5 VITON |
| 33 | 503460.0000 | O-Ring 38x5 Vi |
| 34 | 728413.0000 | Non-return valve, oil resistant |
| 40-42+ | 726165.0001 | Hose incl.trigger control valve assy. cpl. |
| 57-73 | | |
| 40-42 | 728015.0000 | Grip with hose cpl., oil resistant |
| +6,71 | | |
| 40+42 | 706950.0000 | SB Hose (1,40) m oil resistant |
| 41+6 | 726187.0000 | Hose coupling incl.gasket Pos.6 |
| 42 | 726185.0000 | Hose clamp |
| 43 | 538682.0000 | Connecting angle |
| 44 | 130300.0000 | O-Ring 14x2 VITON |
| 57-60 | 711790.0000 | Valve bolt cpl. |
| 57-73 | 728205.0000 | Trigger control valve cpl., oil resistant |
| 64 | 613320.0000 | Filter sieve 0,8 mm |
| 64x | 724460.0000 | Filter sieve 0,425 mm |
| 67 | 503410.0000 | O-Ring 11,5xD5x5 Vi |
| 83-87 | 718190.0001 | Lance cpl. incl. nozzle |
| 84-87 | 728204.0000 | Special flat jet nozzle TP 9505 cpl. |
| 90+91 | 728012.0000 | Carrying strap set |
| 91 | 603060.0000 | Button of carrying strap |
| 92 | 727993.0000 | Sieve RAL9005 |
| 100 | 728206.0000 | Seal set for compression sprayers |




505 TK Profile BRAVO

| POS.N° | PART-NO. | DESCRIPTION |
|--------------|-------------|--|
| 2 | 540454.0000 | Bottom ring 5 L |
| 3 | 540458.0000 | Connecting screw |
| 4+6 | 704210.0000 | Pressure gauge cpl. incl. Pos.6 |
| 5 | 727767.0000 | Safety valve cpl., 6 bar, oil resistant |
| 6 | 618170.0000 | Seal 15x10x3 |
| 7 | 604500.0000 | Hex.hd. Nut |
| 8+6 | 728081.0001 | Compressor connection assy. (AUS) |
| 10 | 540453.0010 | Filling funnel 5L,RAL9005 |
| 11 | 540457.0000 | Cover RAL9005 |
| 20-31 | 728057.0000 | SB Pump rod cpl. |
| 20-34 | 728126.0000 | High performance pump cpl. oil resistant |
| 24 | 611170.0000 | Seal |
| 27-31 | 727330.0000 | Piston plate cpl. |
| 28 | 509780.0000 | O-Ring 28,15 x 3,5 VITON |
| 33 | 503460.0000 | O-Ring 38x5 Vi |
| 34 | 728413.0000 | Non-return valve, oil resistant |
| 40-42+ | 726165.0001 | Hose incl.trigger control valve assy. cpl. |
| 57-73 | | |
| 40-42 | 728015.0000 | Grip with hose cpl., oil resistant |
| +6,71 | | |
| 40+42 | 706950.0000 | SB Hose (1,40) m <i>oil resistant</i> |
| 41+6 | 726187.0000 | Hose coupling incl.gasket Pos.6 |
| 42 | 726185.0000 | Hose clamp |
| 43 | 538682.0000 | Connecting angle |
| 44 | 130300.0000 | O-Ring 14x2 VITON |
| 57-60 | 711790.0000 | Valve bolt cpl. |
| 57-73 | 728205.0000 | Trigger control valve cpl., oil resistant |
| 64 | 613320.0000 | Filter sieve 0,8 mm |
| 64x | 724460.0000 | Filter sieve 0,425 mm |
| 67 | 503410.0000 | O-Ring 11,5xD5x5 Vi |
| 83-87 | 718190.0001 | Lance cpl. incl. nozzle |
| 84-87 | 728204.0000 | Special flat jet nozzle TP 9505 cpl. |
| 90+91 | 728012.0000 | Carrying strap set |
| 91 | 603060.0000 | Button of carrying strap |
| 92 | 727993.0000 | Sieve RAL9005 |
| 100 | 728206.0000 | Seal set for compression sprayers |

GLORIA 510 TK DIAGRAM




LAFFERTY HAND HELD FOAMERS





Hand-Held Airless Split System Foaming Gun / CT - Italy



| Pos. | Code | Description |
|------|------------|----------------------------------|
| 1 | 13.0100.01 | LS1 foamer body |
| 2 | 13.100.02 | Venturi foam nozzle |
| 3 | 02.0151.01 | Strainer |
| 4 | 13.0100.03 | Straight throw foam jet nozzle |
| 5 | 13.0100.04 | Dilution tip |
| 6 | 16.0521.00 | 1.5m PVC suction tube (6 x 9) mm |
| 7 | 14.6502.00 | CT grey gun 1/2" x 3/4" |
| 8 | 13.0003.51 | Washer |



Company Pty Ltd

Professional Spraying & Foaming Equipment

19 / 121 Kerry Rd, Archerfield, Qld 4108 Brisbane – Australia

Tel: 07 3277 5521 Fax: 07 3277 3520

info@bravo-plc.com.au www.bravo-plc.com.au